


MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963 A



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

METEOROLOGICAL DATA REPORT

19318B MLRS

Missile Number BN-197, BN-157, BN-167,
BN-206, BN-195, BN-191

Round Number V-425/OT-31 THRU V-430/OT-36

4 March 1983

by

DONALD C. KELLER Program Support Coordinator Phone Number (505) 679-9568 AVN Number 349-9568

ATMOSPHERIC SCIENCES LABORATORY WHITE SANDS MISSILE RANGE, NEW MEXICO

SELECTE APR 2 6 1983

D

ECOM

NITED STATES ARMY ELECTRONICS COMMAND

83 04 21 086

UNC FILE COP

# DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

## DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

THICK ASSITTED

	<del></del>			
SECURITY	CLASSIFICAT	ION OF THIS	PAGE (When	Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
DR 1201 AP-A12727	1
4. TITLE (and Subtitio) 193189 MLRS	5. TYPE OF REPORT & PERIOD COVERED
Missile Mumber 84–197, 84–157, 84–167, 84–206, 84–195, 84–191	
Round Tumber M-425/0T-31 THPU M-430/0T-36	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(*)
Muite Sands Meteorological Team	PA Task 1F6657929127-92
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
19 Army Flectronics Research and Development Cod	March 1933
Atmospheric Sciences Laboratory	13. NUMBER OF PAGES
White Sands Missile Range, New Mexico 88002	1.7
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 115. Array Electronics Pesearch and Development Cond	15. SECURITY CLASS. (of this report)
Adelmini, Mo 20700	MMCLASSEETED
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	
DIEMAN THERESE	· • <u></u> .
DISTRIBUTION STATELS	
Approved for public tele-	
Distribution Unlineared	
	j
17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, it different from Androved for public release; distribution unlimited	1
18. SUPPLEMENTARY NOTES	
	j
	i
19. KEY WORDS (Continue on reverse side if necessary and identity by block number)	
15. KEY WORDS (Continue on reverse side it necessary and identity by block number)	j
	ł
	[
	t
The state of the s	<b> </b>
ABSTRACT (Continue on reverse side If recessary and identify by block number)	
"leteorological data gathered for the launching of the lumber 84-197, 84-157, 84-167, 84-206, 84-195, 84-1 Thru 4-430/07-36 are presented in tabular form.	
	ł
	1
	1

DD 1 JAN 73 1473 EDITION OF 1 HOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

CURITY CLASSIFICATION C	F THIS PAGE(When Date E	nlered)	 <del></del>

# CONTENTS

Ρ/	AGE
INTRODUCTION	1
DISCUSSIO:1	1
GENERAL AREA MAP	2
LAUNCH AREA DIAGRAM	3
TABLES:	
1. Surface Observations taken at 1300 MST at LC-33	4
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, taken at 1300 MST	5
3. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3, and 4, taken at 1300 MST	5
4. Launch Area Pilot-Balloon Measured Wind Data	6
5. Aiming Computer Met Messages	7
6. WSD Significant Level Data at 1100 MST	8
7. WSD Upper Air Data at 1100 MST	9
8. WSD Mandatory Levels at 1100 MST	10
9. WSD Significant Level Data at 1231 MST	11
10. WSD Upper Air Data at 1231 MST	12
11. WSD Mandatory Levels at 1231 MST	13

Acce	ssion For	
l l	GRA&I	X
DTIC	~110	
1	nounced	
Just	ification_	
By		
	ribution/	
Ava	ilability	Codes
	Avail and	/or
Dist	Special	
1	1 1	
H	1 1	
1	1 1	



### **INTRODUCTION**

19318B MLRS, Missile Numbers BN-197, BN-157, BN-167, BN-206, BN-195 and BN-191, Round Numbers V-425/OT-31 Thru V-430/OT-36, were launched from LC-33, White Sands Missile Range (WSMR). New Mexico, at 1300:00, 1300:05, 1300:09, 1300:14, 1300:18 and 1300:23 MST, 4 Mar 83. The scheduled launch times were 1300 MST with a 4.5 second separation.

### DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:


- 1. Observations
  - a. Surface
- (1) Standard surface observations to include pressure, temperature ( $^{\circ}$ C), relative humidity, dew point ( $^{\circ}$ C), density (gm/m $^{3}$ ), wind direction and speed, and cloud cover were made at the LC-33 Met Site at T-0 minutes.
- (2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.
  - b. Upper Air
- (1) Low level wind data were obtained from pilot-balloon observations at:

# SITE AND ALTITUDE LC-33 1550 Meters

(2) Air structure data (rawinsonde) were collected at the following Met Sites.

WSD 1100 MST WSD 1231 MST

# WSMR METEOROLOGICAL SITES



	LC-33 Launch Area	97 - 1H
	† ;	To the effect of the second of
7186,000	1	
Y105,50	1495 £00	7436,77
Y185,000		(-700)

2136	CE X	13%	134	YSO	3,11	ì
BELATIVE HUTTO.	DEM POINT	WET BULB DEPR.	WET BULB TEPP.	DRY BULB TERF.	TIPE: MST	PSYCHEORETRIC COMPUTATION
64	3,9	3.4	7.0	10.4	1300	IC CCIPUTAT
						ξ 02 10

		TO VISIBILITY AMT I TYPE   HGT	OESTRUCT TOUS		•
	8	AMT	ls.		
	Sc	3471	t Laye		
i	8 Sc 2,500	}			.•
	1-3	AM TYPE HGT	2nc		
	As	34VI	d LAYE	SQUE 1.	
	12,000				
	0	ANT	3rc		
	S	ANT TYPE   HGT	AYE		
	1 As 12,000 0 Cs 20,000	HGT	٦		
	RWU SE				
	SE-S	REMARKS			

50		16	285	1061	3.9 64	3,9		10.4		864.5	1300
R VISIBIL-	CHARACTE kts	SPEED kts	DIPECTION degs In	547 m3 yr 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	HUHIDITY RELATIVE		30 40 1NIO-8 830	00 do 15385271665	45 38:35	8485288 848	11 te
3995,00	Y= 185, 957, 73 H= 3995, 00		×= 484,982,64						83	MAR 83	DATE 04
	A	C-33 E & A	STATION	10							TABLE 1

PROJECT SUBFACE OBSERVATION

POLE #1 X485,87 Y185,95 44918.7 38.7 ft	4.29 8.90 4		POLE #2   X485,87   Y136.01   H4033.5   53.0 ft	4.29 2.00 7		X485,87 Y186,11 H4068.0	POLE #3 X405,877.29 Y106,116.06 H4058.02 83.6 ft. AGL			
T-TIME	DEG	SPEED KNOTS	T-TIME SEC	DIR DEG	SPEED KNOTS	T-TIME SEC	DIR DEG	SPEED KNOTS		
T -30	243	25	T- 30	T-30 233 18			258	22		
T -20	260	22	<b>T-</b> 20	T-20 <b>255 16</b>			252	18		
T -10	252	18	T-10	251	15	T -10	261	22		
T 1.0	252	15	To.0	250	19	T 0.0	247	20		
T +10	265	19	T+10	248	13	T +10	243	27		

TABLE	3	LC-33	METEOROLOGICAL	TOWER	ANEMOMETER	MEASURED	WINDS	(202	FT	TOWER)
								•		•

LEVEL #1, 13 X484,382.64		'3, H3983.00 (base)	LEVEL #2, 62 FEET X484,982.64, Y185.057.73, H3983.00 (base)			
T-TIME SEC	DIR DEG	SPEED KNOTS	T-TIME SEC	DIR DEG	SPEED KNOTS	
T -30	278	12	T -30	245	23	
T -20	282	14	T -20	267	23	
T - 10	283	16	T -10	250	22	
T 0.0	284	16	T 0.0	265	22	
:T -17	287	14	T +10	272	16	

LEVEL #3, 10 X484,982.64	02 FEET , Y185,057.7	3, H3983.00 (base)	LEVEL #4, 20 X484,982.64		73, H3983.00 (base)
T-TIME SEC	DIR DEG	SPEED KNOTS	T-TIME SEC	DIR DEG	SPEED KNOTS
T -30	260	26	T -30	269	29
T -20	276	25	T -20	266	27
T -10	282	20	T -10	267	26
T 0.0	280	21	T 0.0	272	29
T +10	275	23	T +10	271	28

# T-TIME PILOT-BALLOON MEASURED WIND DATA

H≈

# DATE 4 Mar 83

 SITE: LC-33
 SITE:

 TIME: 1300 MST
 TIME

 WSTM COORDINATES:
 WSTM COORDINATES:

 X=
 484,837.34

 Y= 184,124.44
 Y=

H= 3,975.57

LAYER MIDPOINT	DIRECTION	SPEED	LAYER MIDPOINT	DIRECTION	SPEED
METERS AGL	DEGREES	KNOTS	METERS AGL	DEGREES	KNOTS
SURFACE	285	16	SURFACE		
150	284	16	150		
210	274	17	210		
270	264	18	270		
330	255	19	330		
390	254	21	390		
5.00	258	24	500		
650	261	27	650		
800	262	28	800		
950	263	29	950		
1150	267	32	1150		
1350	271	33	1350		
1550	274	31	1550		
1750	MI:	SG	1750		
2000	MI	SG	2000		

# AIMING COMPUTER MET MESSAGES 04 March 1983

WSD 1100 I	MST	WSD 1231	MST
METCM1324	064	METCM1324	064
041800122	865	041950122	865
00462012	28690865	00409012	28660865
01506015	28360855	01432030	28410854
02489019	28010829	02450020	28090829
03482023	27660789	03466021	27720489
04486026	27190742	04468023	27250742
05495032	26820696	05493022	26810697
06496039	26660653	06499034	26460653
07495034	26310623	07498030	26050612
08 <b>49</b> 7035	25910574	08500039	25710573
09492039	25490537	09516031	25350537

OFOUNTIFC CONMITMATES 32-4HH43 LAT DEG 106-37H33 LON DEG															
e , v.	FI		56.13	74.0	79.0	74.0	95.0	94.0	74.0	٠.١٠	0.04	40.0	37.0	4 1.0	
SIGNIFICANT LEVEL ONVA OLSMOPOLIZ WHITE SANDS TABLE 6	TEMPERATORE ATR OFWOOLG	DFGREES OF HITCHAUF	3° 5	H	-1	-3.0	4.7-	۲۰۲۰	-6-1	-12.1	5.41.	-17.5	-22.4	-20.7	101-
SIGNIFIC OL WILL TAI	TEMPE AIR	DF GREE S	13.0	7.4	2.5	۲.	-1.7	-5.5	-5.8	15.B	-5.5	-6.1	9.01-	-17.1	0.10-
ار ا	PRESCURE GLONETLIC ALTITULE	"ILLINAR" II'L FLLI	3089.0	4464.5	6681.3	7107.9	7993.3	934H•6	959H•1	10171.3	10375.4	11082.8	13237.2	15802.9	10034.3
STATION ALITIUDE 3489.00 FEET NUL 9 JAR. 83 1100 HRG NUL ASCENSION 10. 117	PKFSCINK	"ILL HAR	6*119th	0.048	742.6	770.1	7444	70°C	10.01	4.000	670.5	₩•v99	p*400	O41140	0.000

STATION ALITINGE		Jubbard FfFT Mai	FT MSL		UPP H AIM 1121A	At 4.1		L1 400 45	STEATURE COMMUNITY
ASCENSION NO	. 117	10v 186, ASI	- - -		WILL IE SANDS	£		42. 106.	32-40043 1 AT 0FG 106-37033 1 ON 0FG
					TABLE 7	_			
OF UNE TRAC	PRESSURE	<b>₹</b> ₽	TEPPFKATORE	WFL.HIM.	<b>UFNSITY</b>	SerFIL .F	AIAC CAIM	A L	I NI, F X
ALTITUE.	;	¥1./	UEW-POINT	PERCFUT	6M/C1191L	Soliso .	LING CTION	SPFED	ŧ
MYL FEET	MILLIDARS,	DECKLES	DARS DECREES CENTISANDE		ME TFR	5 I ON 4	LEGRETS ( IN)	VION S	HFFKACTION.
3989.	864.9	13.0	3.2	56.0	1044.1	2011	200.0	12.0	1.90007.1
4000	H64.0	12.9	11.3	96.0	1049.1	1.004	200.1	12.1	1.000272
4500.0	840.9	7.8	¥.:	24.47	1049.4	4.5 5. H	204.9	14.2	1.000262
5000°	833.2	6•5	·	60.D	1035.1	652.4	0.50%	10.4	1.000249
550 <b>0.</b> 0	81/.8	5.5	1	45.7	1020.	Ī	200.th	18.5	1.000256
0000	802.7	0.3	≈:	71.3	1000	164.6	0.70%	20.7	1.000253
0.500.	787.9	2.7	-1.0	77.0	4.664	フ・ノサン	568.3	22.9	1.000249
7.000.	775.2	1.1	-2.5	76.8	979.H	545.4	3.69%	24.2	1.000244
0.000/	158.1	3 ·	5.4	A3.1	466.5	C+++4	270.1	25.3	1.000241
\$100°	# # # # # # # # # # # # # # # # # # #	-1.7	-2.X	92.0	953.1	7.C.	273.2	26.1	1.00023A
\$20 <b>0.</b>	730.5	-3.0	¥	34.5	4.486	641.1	270.6	27.0	1.000233
0.000c	710.5	-4.3	₹.	96.5	924.1		278.4	28.7	1.000229
0.0037	102.7	9 <b>•</b> \$-	6-4-	A3.4	913.1		2.674	30.7	1.000221
u • u0 u0 t	187.0	£.c-	-11.3	6.49	A96.7	_	7.87	32.A	1.000213
n.nocu1	5.07.2	y•0-	-15.0	47.4	874.2	-	278.5	34.5	1.000204
11000.0	299	0.9-	-17.1	41.1	863.H		2.812	36.1	1.000201
1.150n.f	1-054	٠٠/-	101-	39.4	A50.1	_	278.A	36.5	1.000107
12000.0	63/•5	G.	-19.6	38.7	A36.4		2.676	37.0	1.000101
9.110C21	1.620	1.6-	-50-1	38.0	H24.0	F33+3	279.1	37.4	1.000100
1.000.1	5 CIO	-10-1	0-12-	37.3	A11.3		278.9	37.A	1.000147
0.00001	0000	-11.3	-22.B	37.6	798.9		274.8	38.2	1.0001
1.000.5	269.0	-12.5	123.6	38.8	786.9	_	5,18.6	34.0	1.000140
3 · 10 i 2 i		2.01	4.4.	C.04	1.4.7	_	278.4	37.6	1.000177
1.000°	6000	-15-1	7.5	41.1	763.5	424.0	278.2	37.2	1.000174
1550A.C	7.450	-16.3	-26.1	42.3	752.1	624.5	278.1	36. A	1.000172
1000.0	9.040	-17.6	-26.6h	45.0	740.7	_			1.0001
16500.0	332.6	-18.9	-26.07	50.2	729.5	_			1.00016.7
1.1007.	/•17c	->04-	6.92-	55.3	718.4	-			1.0001.4
1.50m.n	51116	-21.0	-27.1	60°5	707.5	114.1			1.00016.2
A (111777) a 11			-2/-	65.6	8-469	114.4			1.000159

00 15	SPORTING SPORTS	930 NOT \$5028*901		_	STALCTION	INFGREES(IN) KNOTS	7.5.46	26h-1	4. 271.7 25.8	274.1	27H•B		•	• •
LANDA 108Y LEVELS 0.30020117	WHITE SAMOS		TABLE 8	TE PFRATURE HEL			æ: '	7 H- 7.K	-2.B	7.6-	-18.4	-11.4 -22.9 3	-26.5	-27.6
<u>ئ</u>	153			PRESSURE GFOPUTINITAL		FLFT 11F			7797.	9589.	11494.	13526.	15693.	18014.
STATION ALTITUDE 3489-00 FEET SE		ASCENSION 110. 117		PRESSURE 6		MILLINAKS	P50.r	U•004	750 · n	700.0	n-964	r.00r	550.n	200.0

JEOURTIC COMMINATES 12-40043 FAT DEG 106-37033 FON DEG														
۵ ۲	HET JUIM. PFHCENT	5.0.5	u.R.0	64.0	0.70	48.0	0.80	94.0	A4.0	60.0	59.0	65.0	43.0	21.0
SIGNITICANT LEVEL DATA 063002011H WHITE SANDS TABLE 9	TEMPERATURE ATR DEWPOTAT DEGREES CENTIGRANE	7.6	-1.2	5.7-	-2.3	-5.7	C. H.	.x.s	-12.5	-14.4	-23.5	-23.2	6.67-	-39.4
MH1	TEMPE AIR DFGREES	12.8	9.5	3.8	-1.9	10.4	-7.7	-A.2	-11:1	-12.3	-17.5	-18.3	00-	-23.6
ನ	PRESSIME GFONETGIC ALTITURE ILLINARE MSE FEET	3784.0	4462.1	6.686.9	H273.1	96.0A • 5	106,51.3	11321.0	12017.1	12739.2	15271.2	15634.9	14750.7	17094.3
STATION ALTITUOL 3489+40 FIFT NSL 4 MAR+ N3 1231 HPC, NST ASCENSIMI NO+ 118	PRESSIB GFORETAI ALTITUR WILLIMAR MSL FEFT	864.8	85v.n	794.3	736.4									

STALLON ALTITUDE 4 MAR: 43 ASCEUSIAN NO. 1	1 <sup>0</sup> 0t	3489.00 FFFT MSI 1231 HRS MST A	1 MSI NSI		OUSOSALIN PUSOSALIN WHITE SANDS	1; 14 0 0 0		st opt t I 12• 106•	of ODF TR COMMITMATES \$2-wind\$ 1 AT 11FG 106-17U\$\$ 1 OU 11FG
OFUMETRIC ALTITUDE MSL FLEI	PHESSURE MILLIDARS		TENPERATURE AIR DEMPOINT DEAREES CENTIGRADE	HFL.HIM. PERCFUT	OFUSITY GWZCURIC METER	SPEFU OF SOUND KNOTS	MINU DATA UTHECTION SI UCHEESTIN) M	SUFF () NNOTS	INJEX OF WFFUACTION
3989.0	804.8	12.8	7•6	50.0	1050.2	n.54.4	210.0	12.0	1.000248
4000-0	864.5	12.7	2.6	50.0	1050.1	654.7	210.3	12.0	1.00026.8
4500.0	348.8	4.1	2:1-	48.3	1045.1	654.3	224.0	12.5	1.000259
500 <b>0.</b> 0	A33.2	7.6	-1.4	52.7	1031.3		236.2	13.6	1.000256
5500.0	H17.9	p•1	-1.1	57.1	1017.7		240.1	15.2	1.000253
<b>6000</b>	802.9	4.7	-2.1	61.5	1004.3		255.9	17.2	1.000249
0.20 <b>0.0</b>	780.0	3.2	7.6	67.5	h•066	1011	200.1	19.4	1.000247
7000.0	775.3	1.8	-2.0	75.8	977.3	545.X	90109	20.7	1.000744
7500.9	750.H	۲.	0.6.	A4.1	0.496	1.444	202.9	71.A	1.00001
<b>Unno.</b>	744.6	-1.1	-2.5	92.5	950.9	4.5.44	205.B	22.9	1.000749
850n.n	730.5	-2.5	-2.0	97.2	937.H	441.7	267.1	23.7	2.50110.1
0.000¢	710.6	-3.8	1.4-	97.5	954.6		270.6	24.7	1.000229
95 <b>0n</b> •n	6.707	-5-1	-5.4	97.9	911.6	634.5	273.H	25.7	1.00025
100001	669.4	-6.3	₹.υ.	98.0	A9m.1		2/7.3	26.6	1.000220
10500.0	670.1	7.4	-7.7	98.0	884.7	_	280.6	27.6	1.000.1
11000.0	663.1	-8.0	-R-2	98.0	A64.4		202.5	29.0	1.000.1
1150n.r	650.2	6.8-	- ر•٥-	45.7	A55.8	_	280.5	31.7	1.0000707
12000.0	63/•5	-11.0	-12.4	89.2	846.1		2/4.0	33.9	1.00001
12500.0	625.1	-11.9	-16.3	4.64	832.6		270.2	34.7	1.000147
15000.0	9.719	-12.8	-19•0	6.65	814.5	4.8CA	278.5	35.A	1.000140
13500.0	604.5	-13.0	-2011	7.64	Aun	45754	9.74.A	37.1	1.000187
1400n.n	588÷5	6.41-	-21.0	4.64	793.3	6500.5	P80.4	39.3	1.000141
14500.0	570.6	6.61-	-22.0	59.3	780.h	6250	4.187	30.4	1.000140
15000.0	565.3	-16.9	-23.0	59.1	76A.2	47 4.4	283.3	35.A	1.000177
15500.0	554.0	-18.0	-23.3	62.7	755.4	4.624	200.3	31.4	1.000174
1000ก.	542.B	-19.1	25.03	57.9	743.4	62101	268.4	24.4	1.000170
10500.0	_	->0.5	-28.3	48.0	732.0	A14.	9.4b.	33.0	1.00014.7
17:10n.n	521.0	-21.3	-31.6	38.6	720.5	. nln.5			1.0001
17500.0	510.3	-22.6	1.36.1	7.66	764.5	4.4IA.			1.000160

04 ODETIC COMMINATES 32-411043 1 AT 126 106-37033 1 ON 126	WIM DAIA HIMECTION SPFED ENHEES(TN) KNOTS	1 < 0 4	17.6	54.4	25.9	31.7	31.2	27.9	
	-	223.0	255.2	203.4	274.5	280.5	550.00	287.5	
2. F. S.	KFL . HIM. PFRCENT	ф <b>н</b> •	62.	34.	9н.	94.	ęu.	- 14	21.
MARIDATORY LESFES UBSTOCKLIN WHITE SAUDS TABLE 11	TFMFERATURE AIR DFWPOINT REGREFS CENTIGRADE	-1.2	-2.5	-2.1	-5.7	4.6	-20.0	-23.4	-39.9
Ž	TFMPE AIR NEGREFS (	٥.٥	÷.	١.۴	15.4	0.0-	-13.9	-18.4	-23.A
Γ Μ5Ι <u>.</u> 431		4459.	thu4.	7Ant.	.6646	11477.	13509.	15660.	17970.
STATION ALIITUUE 3489.00 FFFT MSI. 4 MAR. M3 1231 HRS MSI ASCEMSTOR WO. 118	PRESCUME GFOUTFULLA	n-50-n	A00+	756.0	7004	450.4	U•00~	1,50.0	₹00•

# END DATE, FILMED

5-83 DTIC